



Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2009 - June 30, 2009

Filing Deadline: July 15, 2009

Filing Confirmation Number: 0003897762

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Did you offer more than two handsets over any air interface to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period? Yes

Did you offer any handsets to service providers (if you are a device manufacturer) or to subscribers (if you are a service provider) during this reporting period?

Company Information

Company Name: Sony Ericsson Mobile Communications, Inc.

PO Box:

Street Address: 7001 Development Drive

City: Research Triangle Pk

State: NC

Zip Code: 27709

Contact Name: Steven G. Coston

Contact Phone: (919) 536-5727

Contact Fax: (919) 536-6819

Contact Email: steve.coston@sonyericsson.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets with the Wi-Fi air interface have clear and effective disclosure that the handset has not been tested for hearing aid compatibility with respect to its Wi-Fi voice operation? Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Yes

Website address: www.sonyericsson-snc.com

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: **CONSUMER OUTREACH EFFORTS**

Sony Ericsson product support is available through either the web sites www.sonyericsson-snc.com or www.sonyericsson.com. SEM-SNC continues to meet with various Audiologists and HA manufacturers, through HITEC, to provide information, brochures, and FAQ's to assist them in their direct conversations with consumers regarding available and compatible HAC wireless devices. HITEC continues to support over 2,000 audiologists and special needs equipment dealers nationally. Information on HAC is also being circulated to these groups. Additional wireless / HAC information can be found on the CTIA www.accesswireless.org web site, or ATIS www.atis.org

Sony Ericsson continues to participate as an exhibitor in all HLAA Exhibitors Conferences allowing consumers to try wireless devices with their hearing aids worn. SEM provided mobile products at the HLAA 2009 (Hearing Loss Association of America) conference held in Nashville, TN. Sony Ericsson participated in 3 panel sessions providing information and Q&A time to consumers on the latest wireless products, the hottest Apps, and a tutorial session on messaging (sms, email, and IM) Sony Ericsson has an ongoing dialogue with various consumer advocacy groups through its Special Needs Center partnership with HITEC Group International.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 3

Report Remarks

Handset 1: Sony Ericsson C902

Handset Maker

Sony Ericsson

Handset Model Name

C902

FCC ID

PY7A3052101

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 07/08 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 2: Sony Ericsson K850i

Handset Maker

Sony Ericsson

Handset Model Name

K850i

FCC ID

PY7A3252011

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/08 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 3: Sony Ericsson P-1i

Handset Maker

Sony Ericsson

Handset Model Name

P-1i

FCC ID

PY7FD022015

Air Interfaces/Frequency Bands

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 09/07 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 4: Sony Ericsson S500**Handset Maker**

Sony Ericsson

Handset Model Name

S500

FCC ID

PY7A1052041

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/07 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 06/08/07

Version of the ANSI C63.19 standard used during the certification process: 2006

T-Rating: T3

T-Rating Certification Date: 06/08/07

Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 5: Sony Ericsson TM506**Handset Maker**

Sony Ericsson

Handset Model Name

TM506

FCC ID

PY7A3132011

Air Interfaces/Frequency Bands

850 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM
2100 MHz WCDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 08/08 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 6: Sony Ericsson W200

Handset Maker

Sony Ericsson

Handset Model Name

W200

FCC ID

PY7A1032013

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 03/07 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 7: Sony Ericsson W350a

Handset Maker

Sony Ericsson

Handset Model Name

W350a

FCC ID

PY7A1032061

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 08/08 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 8: Sony Ericsson W380a

Handset Maker

Sony Ericsson

Handset Model Name

W380a

FCC ID

PY7A1032051

Air Interfaces/Frequency Bands

850 MHz GSM

1800 MHz GSM

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 10/08 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 9: Sony Ericsson W580

Handset Maker

Sony Ericsson

Handset Model Name

W580

FCC ID

PY7A1052042

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 07/07 to 06/09

Ratings

M-Rating: M3
M-Rating Certification Date: 06/08/07
Version of the ANSI C63.19 standard used during the certification process: 2006
T-Rating: T3
T-Rating Certification Date: 06/08/07
Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 10: Sony Ericsson W595**Handset Maker**

Sony Ericsson

Handset Model Name

W595

FCC ID

PY7A1052191

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 10/08 to 06/09

Ratings

M-Rating:
M-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 11: Sony Ericsson W760a

Handset Maker

Sony Ericsson

Handset Model Name

W760a

FCC ID

PY7A3252041

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 10/08 to 06/09

Ratings

M-Rating: M3

M-Rating Certification Date: 08/07/08

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 08/07/08

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

reference FCC ID PY7A3252041

Handset 12: Sony Ericsson X1

Handset Maker

Sony Ericsson

Handset Model Name

X1

FCC ID

PY7A3880002

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

Dates

This handset model was offered from: 11/08 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 13: Sony Ericsson Z555a**Handset Maker**

Sony Ericsson

Handset Model Name

Z555a

FCC ID

PY7A1032052

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/08 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 14: Sony Ericsson Z750a**Handset Maker**

Sony Ericsson

Handset Model Name

Z750a

FCC ID

PY7A3252023

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/08 to 06/09

Ratings

M-Rating: M3
M-Rating Certification Date: 09/25/07
Version of the ANSI C63.19 standard used during the certification process: 2007
T-Rating: T3
T-Rating Certification Date: 09/25/07
Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 15: Sony Ericsson W712

Handset Maker

Sony Ericsson

Handset Model Name	FCC ID
--------------------	--------

W712	PY7AF042011
------	-------------

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/06 to 06/09

Ratings

M-Rating: M3
M-Rating Certification Date: 08/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006
T-Rating: T3
T-Rating Certification Date: 08/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 16: Sony Ericsson Z712

Handset Maker

Sony Ericsson

Handset Model Name	FCC ID
--------------------	--------

Z712	PY7AF042012
------	-------------

Air Interfaces/Frequency Bands

850 MHz GSM
1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/06 to 06/09

Ratings

M-Rating: M3
M-Rating Certification Date: 08/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006
T-Rating: T3
T-Rating Certification Date: 08/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 17: Sony Ericsson W710

Handset Maker

Sony Ericsson

Handset Model Name

W710

FCC ID

PY7AF042011

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/06 to 06/09

Ratings

M-Rating: M3
M-Rating Certification Date: 08/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006
T-Rating: T3
T-Rating Certification Date: 08/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 18: Sony Ericsson Z710

Handset Maker

Sony Ericsson

Handset Model Name

Z710

FCC ID

PY7AF042012

Air Interfaces/Frequency Bands

850 MHz GSM
900 MHz GSM
1800 MHz GSM
1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/06 to 06/09

Ratings

M-Rating: M3
M-Rating Certification Date: 06/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006
T-Rating: T3
T-Rating Certification Date: 06/18/06
Version of the ANSI C63.19 standard used during the certification process: 2006

Remarks

Handset 19: Sony Ericsson Z310**Handset Maker**

Sony Ericsson

Handset Model Name

Z310

FCC ID

PY7A1032021

Air Interfaces/Frequency Bands

1900 MHz GSM

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 05/07 to 06/09

Ratings

M-Rating: M3
M-Rating Certification Date: 05/30/07
Version of the ANSI C63.19 standard used during the certification process: 2006
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 20: Sony Ericsson W705**Handset Maker**

Sony Ericsson

Handset Model Name

W705

FCC ID

PY7A3880010

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

Dates

This handset model was offered from: 06/09 to 06/09

Ratings

M-Rating:
M-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:
T-Rating:
T-Rating Certification Date:
Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 21: Sony Ericsson W995**Handset Maker**

Sony Ericsson

Handset Model Name**FCC ID**

W995

PY7A3880005

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
900 MHz GSM
1800 MHz GSM
1900 MHz GSM
1900 MHz WCDMA
2100 MHz WCDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? Yes

Dates

This handset model was offered from: 06/09 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Handset 22: Sony Ericsson C510**Handset Maker**

Sony Ericsson

Handset Model Name

C510

FCC ID

PY7A3880035

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1800 MHz WCDMA

1900 MHz GSM

2100 MHz WCDMA

Wi-Fi Interface

Is this handset capable of Wi-Fi voice operations? No

Dates

This handset model was offered from: 06/09 to 06/09

Ratings

M-Rating:

M-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

T-Rating:

T-Rating Certification Date:

Version of the ANSI C63.19 standard used during the certification process:

Remarks

Certification**This Report has been certified by:**

Steven G Coston Technical Manager, SEUS Regulatory

07/13/2009